



PRODUCT CERTIFICATION
BODY

CEPROM[®] S.A.

440240 Satu Mare, str. Fântânele, No. 23/A, Romania
tel. +40.0361.804795; fax +40.0361.804796
www.ceprom.ro; e-mail: ceprom@ceprom.ro



CERTIFICATE OF CONFORMITY

No. 3139-CI-32023.A2

Technical File no. 3139-CI-32023.A2/KDT-2023004-A2

Applicant: GUANGZHOU KDT MACHINERY GROUP CO., LTD. <i>No. 81 Ruixiang Street, Huangpu District, Guangzhou, China</i>	Manufacturer: GUANGZHOU KDT MACHINERY GROUP CO., LTD. <i>No. 81 Ruixiang Street, Huangpu District, Guangzhou, China</i>
--	---

Description of product:

Product type: **AUTO CONVEYER**

Models: **See Annex**

Reference standards: EN 12100:2010, EN 60204-1:2018

Based on our assessment we confirm that the product is in accordance with the technical requirements of the above standards and hence fulfils the technical requirements of the

Machinery Directive 2006/42/EC

The manufacturer shall affix the CE marking to each product that is in conformity with those described in this Certificate, after completion of the EC Declaration of Conformity and in accordance with the above directive.

The manufacturer must ensure the assessment of conformity with internal controls on the manufacture of the above product, in accordance with Annex VIII of 2006/42/EC Directive;

The assessment activity for the product described in this Certificate of Conformity was carried out in compliance with Scheme 1a, cf. EN ISO/IEC 17067:2013 with Assessment Report and doesn't belong to the products listed in Annex IV of 2006/42/EC Directive which is under harmonised European Union product legislation.

This Certificate of Conformity was issued on voluntary basis of manufacturer and is only valid for the product and configuration described (annex), in conjunction with the detailed test data and with all applicable legal requirement for the product.

Annex: Product identification - 5 pages

Issuing Date: 27.11.2023

Update: 10.11.2025

Expiry Date: 26.11.2028



EUROPEAN UNION
Satu Mare, ROMANIA

GENERAL MANAGER
eng. Cristian SOPONOS



CEPROM-CERT Manager
eng. Vasile ZELE

E.S.

Partial reproduction of this certificate is not allowed

This Certificate of Conformity is valid only if it is published on the site www.ceprom.ro



PRODUCT CERTIFICATION
BODY

CEPROM[®] S.A.

440240 Satu Mare, str. Fântânele, No. 23/A, Romania
tel. +40.0361.804795; fax +40.0361.804796
www.ceprom.ro; e-mail: ceprom@ceprom.ro

ANNEX

to the Certificate of Conformity no. 3139-CI-32023.A2

PRODUCT IDENTIFICATION

The Product:

AUTO CONVEYER

*models:

KHC-303S, KHC-333S, KHC-313S, KHC-323S, KHC-343S, KHC-340S, KHC-310S, KHC-320S, KHC-324S, KHC-325DS, KHC-325S, KHC-326DS, KHC-326DSF, KHC-327S, KHC-327DS, KHC-328DS, KHC-329DS, KHC-304DM, KHC-304M, KHC-303M, KHC-333M, KHC-305DMS, KHC-305DHMS, KHC-608, KHC-608H, KHC-608D, KHC-608DH, KHC-605, KHC-605H, KHC-603D, KHC-603DH, KHC-303, KHC-303D, KHC-304D, KHC-304, KHC-304H, KHC-333D, KHC-617DH, KHC-313D, KHC-535, KHC-535L, KHC-536, KHC-536H, KHS-320, KHS-330, KHF-500, KHF-510, KHF-520, KHF-3208, KHF-530, KHF-532, KHF-534, KHF-538, KHF-536, KHA-2409, KHA-2510, KHA-2609, KHA-2612, KHA-2710, KHA-2713, KHA-9409, KHA-9410, KHA-9510, KHA-9609, KHA-9612, KHA-9710, KHA-9713, KHA-1410, KHA-1410T, KHA-1410Q, KHA-1410F, KHA-1612TS, KHA-1612TSF, KHA-1710TS, KHA-1710TSF, KHA-1713TS, KHA-1713TSF

*manufactured by:

GUANGZHOU KDT MACHINERY GROUP CO., LTD.

*headquarters address:

No. 81 Ruixiang Street, Huangpu District, Guangzhou, China

*place of manufacture:

No. 81 Ruixiang Street, Huangpu District, Guangzhou, China

*domain of use:

This is the control system of auto conveyor.

Technical File content:

- General description of the product;
- General drawing;
- Full detailed drawings required to check the conformity;
- The documentation on risk assessment;
- The list of standards used;
- Technical report giving the results of the test;
- Instruction manual;
- Declaration of conformity;
- The internal measures implemented to ensure product conformity with MD.

CEPROM-CERT Manager
eng. Vasile ZELE





PRODUCT IDENTIFICATION

The Product: **AUTO CONVEYER**

*constructive and functional characteristics:

Model	M.U.	KHC-303S	KHC-333S	KHC-313S	KHC-323S	KHC-343S
Power	kW	1.5	1.5	0.75	0.75	5.25
Panel length	mm	1800~3000	200~2800	1800~3000	200~2800	250~2800
Panel width	mm	400~1100	200~1200	400~1100	200~1200	50~1220
Panel Thickness	mm	30~60	9~60	30~60	9~60	9~60
External Dimensions (LxWxH)	mm	3000x1680x1050	3000x1680x1050	3000x1765x1050	3000x1765x1050	9785x4220x1080

Model	M.U.	KHC-340S	KHC-310S	KHC-320S	KHC-324S	KHC-325DS
Power	kW	3.75	4.5	4.5	1.5	6
Panel length	mm	250~2800	2800	3050	250~2800	250~2800
Panel width	mm	100~1200	1220	2100	100~1200	50~1200
Panel Thickness	mm	9~60	10~25	10~25	9~60	9~60
External Dimensions (LxWxH)	mm	9570x3975x1050	5300x3000x1050	7100x3000x1050	4000x2060x1050	6050x6650x1050

Model	M.U.	KHC-326S	KHC-326DS	KHC-327S	KHC-327DS	KHC-328DS
Power	kW	3.75	7.5	4.5	6.75	6.75
Panel length	mm	250~2800	250~2800	250~2800	250~2800	250~2800
Panel width	mm	50~1200	50~1200	50~1200	100~1200	100~1200
Panel Thickness	mm	9~60	9~60	9~60	10~60	10~60
External Dimensions (LxWxH)	mm	6020x3375x1050	6020x8535x1050	6020x5445x1050	6020x8915x950	6020x11915x950

Model	M.U.	KHC-329DS	KHC-304DM	KHC-304M	KHC-303M	KHC-333M
Power	kW	6.75	0.75	0.75	0.75	0.75
Panel length	mm	250~2800	1800~2500	1800~2500	1800~2500	1800~2500
Panel width	mm	100~1200	400~1100	400~1100	400~1100	400~1100
Panel Thickness	mm	10~60	30~60	30~60	30~60	30~60
External Dimensions (LxWxH)	mm	6020x14915x950	4055x2885x1050	4000x1440x1050	3000x1440x1050	3300x1650x1130

CEPROM-CERT Manager
eng. Vasile ZELE

page 2/5

Partial reproduction of this certificate is not allowed
This Certificate of Conformity is valid only if it is published on the site www.ceprom.ro



PRODUCT IDENTIFICATION

The Product: **AUTO CONVEYER**

*constructive and functional characteristics:

Model	M.U.	KHC-305DMS	KHC-305DHMS	KHC-608	KHC-608H	KHC-608D
Power	kW	2.6	2.6	2.05	2.05	3.55
Panel length	mm	1800~3000	1800~3000	200~2800	200~2800	200~2800
Panel width	mm	400~1100	400~1100	200~1200	200~1200	200~2800
Panel Thickness	mm	30~60	30~60	10~60	10~60	10~60
External Dimensions (LxWxH)	mm	5100x3435x1350	5600x3435x1350	7000x1560x1380	7700x1560x1380	8900x3075x1380

Model	M.U.	KHC-608DH	KHC-605	KHC-605H	KHC-603D	KHC-603DH
Power	kW	3.8	2.05	2.05	2.8	2.8
Panel length	mm	200~2800	200~1200	200~1200	200~2400	200~2400
Panel width	mm	200~2800	200~1200	200~1200	200~2400	200~2400
Panel Thickness	mm	10~60	10~60	10~60	10~60	10~60
External Dimensions (LxWxH)	mm	9600x3075x1380	5085x1560x1380	5300x1560x1380	3560x3085x1380	4050x3085x1380

Model	M.U.	KHC-303	KHC-303D	KHC-304D	KHC-304	KHC-304H
Power	kW	0.75	0.75	2.05	2.05	2.05
Panel length	mm	200~2800	200~2800	200~2800	200~2800	200~2800
Panel width	mm	200~1200	200~2800	200~2800	200~1200	200~1200
Panel Thickness	mm	10~60	10~60	10~60	10~60	10~60
External Dimensions (LxWxH)	mm	3000x1440x1050	3055x2895x 1050	3600x3075x1380	3500x1560x1380	4000x1560x1380

Model	M.U.	KHC-333D	KHC-617DH	KHC-313D	KHC-535	KHC-535L
Power	kW	1.5	3.92	0.75	3	3
Panel length	mm	250~2800	200~2800	200~2800	200~2400	200~2400
Panel width	mm	50~1220	200~2800	200~2800	200~1000	200~1000
Panel Thickness	mm	10~60	10~60	10~60	10~60	10~60
External Dimensions (LxWxH)	mm	3000x3100x1050	7935x3070x1380	3550x2615x1050	5055x3235x1850	5055x3235x1850

CEPROM-CERT Manager
eng. Vasile ZELE

page 3/5

Partial reproduction of this certificate is not allowed
This Certificate of Conformity is valid only if it is published on the site www.ceprom.ro



PRODUCT IDENTIFICATION

The Product: **AUTO CONVEYER**

*constructive and functional characteristics:

Model	M.U.	KHC-536	KHC-536H	KHC-326DSF	KHS-330	KHS-320
Power	kW	3	3	7.5	3.7	2.95
Panel length	mm	200~2400	200~2400	250~2800	1800~2500	1800~3000
Panel width	mm	200~1000	200~1000	50~1200	400~1100	400~1100
Panel Thickness	mm	10~60	10~60	9~60	30~60	30~60
External Dimensions (LxWxH)	mm	5745x3235x1850	6290x3235x1850	6020x8535x1050	3000x2255x2725	3000x2015x2230

Model	M.U.	KHF-510	KHF-520	KHF-3208	KHF-530	KHF-532
Power	kW	1.5	1.5	1.5	2.3	2.3
Panel length	mm	1100	1800~2500	2500	350	350
Panel width	mm	1100	400~1100	600	60	60
Panel Thickness	mm	30~60	30~60	30~60	10-60	10-60
External Dimensions (LxWxH)	mm	7250x790x1725	7250x790x1725	7250x790x1725	8800x1300x900	9000x1300x900

Model	M.U.	KHF-500	KHF-534	KHF-538	KHF-536	KHA-2510
Power	kW	1.5	2.3	2.3	2.3	2.2
Panel length	mm	250~2750	350	350	350	3050
Panel width	mm	250-1220	60	60	60	1525
Panel Thickness	mm	10~60	10-60	10-60	10-60	10~60
External Dimensions (LxWxH)	mm	2028x540x1300	9200x1300x900	9400x1300x900	9600x1300x900	3130x1985x1025

Model	M.U.	KHA-2609	KHA-2612	KHA-2710	KHA-2713	KHA-2409
Power	kW	2.2	2.2	2.2	2.2	2.2
Panel length	mm	2750	3660	3050	3965	2750
Panel width	mm	1800	1800	2100	2100	1220
Panel Thickness	mm	10~60	10~60	10~60	10~60	10~60
External Dimensions (LxWxH)	mm	3130x2230x1025	3780x2230x1025	3130x2460x1025	3780x2460x1025	2820x1690x1025

CEPROM-CERT Manager
eng. Vasile ZELE

page 4/5

Partial reproduction of this certificate is not allowed
This Certificate of Conformity is valid only if it is published on the site www.ceprom.ro



PRODUCT IDENTIFICATION

The Product: **AUTO CONVEYER**

*constructive and functional characteristics:

Model	M.U.	KHA-9409	KHA-9410	KHA-9510	KHA-9609	KHA-9612
Power	kW	0.75	0.75	0.75	1.5	1.5
Panel length	mm	2745	3965	3050	2745	3660
Panel width	mm	1220	1220	1525	1800	1800
Panel Thickness	mm	10~60	10~60	10~60	10~60	10~60
External Dimensions (LxWxH)	mm	3420x1695x920	4350x1695x920	3730x2005x920	3400x2270x920	4375x2270x920

Model	M.U.	KHA-9713	KHA-9710	KHA-1410	KHA-1410T	KHA-1410Q
Power	kW	1.5	1.5	3.7	3.7	3.7
Panel length	mm	3965	3050	3050	3050	3050
Panel width	mm	2100	2100	1220	1220	1220
Panel Thickness	mm	10~60	10~60	15~25	15~25	15~25
External Dimensions (LxWxH)	mm	4510x2525x920	3535x2525x92	4324x2714x1460	4324x2714x1460	4324x2714x1460

Model	M.U.	KHA-1410F	KHA-1612TS	KHA-1612TSF	KHA-1710TS	KHA-1710TSF
Power	kW	3.7	3.7	3.7	3.7	3.7
Panel length	mm	3050	3660	3660	3050	3050
Panel width	mm	1220	1830	1830	2135	2135
Panel Thickness	mm	15~25	15~25	15~25	15~25	15~25
External Dimensions (LxWxH)	mm	4324x2714x1460	5535x3040x1765	5535x3040x1765	4945x3340x1765	4945x3340x1765

Model	M.U.	KHA-1713TS	KHA-1713TSF
Power	kW	3.7	3.7
Panel length	mm	4200	4200
Panel width	mm	2135	2135
Panel Thickness	mm	15~25	15~25
External Dimensions (LxWxH)	mm	6080x3340x1765	6080x3340x1765

CEPROM-CERT Manager
eng. Vasile ZELE

page 5/5

Partial reproduction of this certificate is not allowed
 This Certificate of Conformity is valid only if it is published on the site www.ceprom.ro